



Field Codes Are Showing In a Merge Document Rather Than the Data

When opening a document template for an individual letter or mail merge, if the fields are not showing correctly, e.g. the field codes are showing instead:

Test document.

Full Name - { DOCVARIABLE app_Name * MERGEFORMAT }

Company name - { DOCVARIABLE com_CompanyName * MERGEFORMAT }

Interview date - { DOCVARIABLE prg_InterviewDate * MERGEFORMAT }

You can turn off the field codes by using ALT F9 and this will show the document with the field data showing correctly.

Test document.

Full Name - David Meredith

Company name - A M Best Europe - Rating Services Ltd.

Interview date - 24/03/2014

|

New field 'Code' used to filter Timesheet Query Reasons

(2.15.11+)

A new field has been added allowing control over the choice of reasons available to a user when querying a provisional timesheet. Querying a provisional timesheet will allow the timesheet to be referred back for corrections or further approval.

To access this feature: Maintenance - Temp Setup - TS Query Reasons - Insert selected query codes. (alphanumeric works best).



Maintenance - Temp Setup

[Save And Close](#) [Abandon](#) [Update](#)

[Holiday Pay Year](#) [Add](#) [Delete](#) [Unused Codes](#)

ID	Reason	Order	Code
A	Hours incorrect	1	A
B	Review shifts	2	
C	Shift cancelled	4	A
D	Awaiting client approval	5	
E	Person details incomplete	6	A

[Secondary Agencies](#)
[External Price List](#)
[Payroll Companies](#)
[TS Query Reasons](#)
[Availability Templates](#)
[Payroll Field](#)
[Translations](#)
[Master Roster Change](#)
[Reasons](#)
[Conf Log](#)

Maintenance - Users - Select User - Insert User's TS Query code.

Ivan Baldwin


[Save and Close](#) [Abandon](#) [Update](#) [No Password](#) [Delete](#) [Help](#) [Reports](#)

Roles	Name	Ivan Baldwin	Branch	Nottingham
Layout Settings	Keyname	BALDWIN IVAN	Division	12345678901234567890123456
Questionnaire	Login Name	IVAN	Default Department	Drivers
Division Access	Job Title		Default Tempdesk	Demo - Construction ABC
Department	E-Mail Address	ivan@iqx.co.uk	Analysis Code	
Maintenance	Short ID	PI	Nominal Segment (m...	
Popup Escalations	Template for New Users	☐	Report View Level	2000
Synety Setup	Not In Use	☐	Report Print Level	2000
	Leave Date		Report Export Level	2000
	Override Form ID		Combo Box Filter	
	Startup Form	Desktop x diary	TS Query Code	A
			Inbox Limit	60

Note if the query codes are left blank both in Temp Desk setup and in the user record the user will have access to all TS Query Codes.

To set up the TS Query Log - Maintenance - General Settings - Temps - No 530 - Y.

510 Temps	Work Pattern Start Time	09	
520 Temps	Work Pattern Hours	7.5	
530 Temps	Show TS Query Log	Y	
531 Temps	Timesheet Query image Folder	C:\IQX\Timesheets\2014\BR Derby\	Must end



Back to [FAQs](#)

From:

<https://phpddemo.ixusers.co.uk/ixhelp/> - IQX

Permanent link:

<https://phpddemo.ixusers.co.uk/ixhelp/doku.php?id=faq8-10&rev=1546279130>

Last update: **2018/12/31 17:58**

